

## **LEYBONOL LVO 220**

## Leybold USA Inc.

Chemwatch: **5331-52**Version No: **6.1** 

Safety Data Sheet according to OSHA HazCom Standard (2024) requirements

Initial Date: 14/11/2018 Revision Date: 18/10/2021 Print Date: 06/11/2025

S.GHS.USA.EN.E

#### **SECTION 1 Identification**

#### **Product Identifier**

Product name	LEYBONOL LVO 220
Synonyms	L22001
Chemical formula	Not Applicable
Other means of identification	300327492

#### Recommended use of the chemical and restrictions on use

Relevant identified uses	ı	Vacuum	pump oil
--------------------------	---	--------	----------

#### Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Registered company name	Leybold USA Inc.	
Address	6005 Enterprise Drive Export, PA 15632 United States	
Telephone	+1 800-764-5369	
Fax	+1 800-215-7782	
Website	Not Available	
Email	info.ex@leybold.com	

## **Emergency phone number**

• • •		
Association / Organisation	CHEMWATCH EMERGENCY RESPONSE (24/7)	
Emergency telephone number(s)	+1 855-237-5573 (ID#: 5331-52)	
Other emergency telephone number(s)	+61 3 9573 3188	

## SECTION 2 Hazard(s) identification

## Classification of the substance or mixture

#### NFPA 704 diamond



Note: The hazard category numbers found in GHS classification in section 2 of this SDSs are NOT to be used to fill in the NFPA 704 diamond. Blue = Health Red = Fire Yellow = Reactivity White = Special (Oxidizer or water reactive substances)

Classification	Non hazardous

#### Label elements

Hazard pictogram(s)	Not Applicable
Signal word	Not Applicable

# Page 2 of 11 LEYBONOL LVO 220

Initial Date: 14/11/2018 Revision Date: 18/10/2021 Print Date: 06/11/2025

#### Hazard statement(s)

Not Applicable

## Hazard(s) not otherwise classified

Not Applicable

## Precautionary statement(s) Prevention

Not Applicable

#### Precautionary statement(s) Response

Not Applicable

#### Precautionary statement(s) Storage

Not Applicable

#### Precautionary statement(s) Disposal

Not Applicable

No further product hazard information.

#### **SECTION 3 Composition / information on ingredients**

#### **Substances**

See section below for composition of Mixtures

#### **Mixtures**

CAS No	%[weight]	Name
597-82-0	1-<2.5	O,O,O-triphenyl phosphorothionate
90-30-2	0.25-<1	phenyl-alpha-naphthylamine

#### **SECTION 4 First-aid measures**

#### Description of first aid measures

Eye Contact	If this product comes in contact with the eyes:  Wash out immediately with fresh running water.  Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.  Seek medical attention without delay; if pain persists or recurs seek medical attention.  Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin contact occurs:  Immediately remove all contaminated clothing, including footwear.  Flush skin and hair with running water (and soap if available).  Seek medical attention in event of irritation.
Inhalation	<ul> <li>If fumes or combustion products are inhaled remove from contaminated area.</li> <li>Lay patient down. Keep warm and rested.</li> <li>Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures.</li> <li>Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary.</li> <li>Transport to hospital, or doctor.</li> </ul>
Ingestion	<ul> <li>If swallowed do NOT induce vomiting.</li> <li>If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.</li> <li>Observe the patient carefully.</li> <li>Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious.</li> <li>Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink.</li> <li>Seek medical advice.</li> </ul>

#### Most important symptoms and effects, both acute and delayed

See Section 11

#### Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

The material may induce methaemoglobinaemia following exposure.

- Initial attention should be directed at oxygen delivery and assisted ventilation if necessary. Hyperbaric oxygen has not demonstrated substantial benefits.
- ▶ Hypotension should respond to Trendelenburg's position and intravenous fluids; otherwise dopamine may be needed.
- Symptomatic patients with methaemoglobin levels over 30% should receive methylene blue. (Cyanosis, alone, is not an indication for treatment). The usual dose is 1-2 mg/kg of a 1% solution (10 mg/ml) IV over 50 minutes; repeat, using the same dose, if symptoms of hypoxia fail to subside within 1 hour.

Page 3 of 11 **LEYBONOL LVO 220** 

Initial Date: 14/11/2018 Revision Date: 18/10/2021

Print Date: 06/11/2025

• Thorough cleansing of the entire contaminated area of the body, including the scalp and nails, is of utmost importance.

Index

**BIOLOGICAL EXPOSURE INDEX - BEI** 

These represent the determinants observed in specimens collected from a healthy worker exposed at the Exposure Standard (ES or TLV):

Determinant

Sampling Time During or end of shift Comment B, NS, SQ

1. Methaemoglobin in blood

1.5% of haemoglobin

B: Background levels occur in specimens collected from subjects  $\ensuremath{\mathsf{NOT}}$  exposed

NS: Non-specific determinant; also observed after exposure to other materials

SQ: Semi-quantitative determinant - Interpretation may be ambiguous; should be used as a screening test or confirmatory test.

#### **SECTION 5 Fire-fighting measures**

#### **Extinguishing media**

- ▶ Foam.
- Dry chemical powder.
- Carbon dioxide.
- Water spray or fog Large fires only.

Do not use water jets.

## Special hazards arising from the substrate or mixture

Fire In	compatibility
---------	---------------

Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result

#### Special protective equipment and precautions for fire-fighters

	<del>_</del>
Fire Fighting	<ul> <li>Alert Fire Brigade and tell them location and nature of hazard.</li> <li>Wear breathing apparatus plus protective gloves.</li> <li>Prevent, by any means available, spillage from entering drains or water course.</li> <li>Use water delivered as a fine spray to control fire and cool adjacent area.</li> </ul>
Fire/Explosion Hazard	<ul> <li>▶ Combustible.</li> <li>▶ Slight fire hazard when exposed to heat or flame.</li> <li>▶ Heating may cause expansion or decomposition leading to violent rupture of containers.</li> <li>▶ On combustion, may emit toxic fumes of carbon monoxide (CO).</li> <li>Combustion products include:</li> <li>carbon dioxide (CO2)</li> <li>nitrogen oxides (NOx)</li> <li>other pyrolysis products typical of burning organic material.</li> </ul>

#### **SECTION 6 Accidental release measures**

#### Personal precautions, protective equipment and emergency procedures

See section 8

#### **Environmental precautions**

See section 12

## Methods and material for containment and cleaning up

Minor Spills	<ul> <li>Remove all ignition sources.</li> <li>Clean up all spills immediately.</li> <li>Avoid breathing vapours and contact with skin and eyes.</li> <li>Control personal contact with the substance, by using protective equipment.</li> </ul>
Major Spills	Moderate hazard.  • Clear area of personnel and move upwind.  • Alert Fire Brigade and tell them location and nature of hazard.  • Wear breathing apparatus plus protective gloves.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

#### **SECTION 7 Handling and storage**

#### Precautions for safe handling

······································		
Safe handling	<ul> <li>Avoid all personal contact, including inhalation.</li> <li>Wear protective clothing when risk of exposure occurs.</li> <li>Use in a well-ventilated area.</li> <li>Prevent concentration in hollows and sumps.</li> </ul>	
Other information	<ul> <li>Store in original containers.</li> <li>Keep containers securely sealed.</li> <li>No smoking, naked lights or ignition sources.</li> <li>Store in a cool, dry, well-ventilated area.</li> </ul>	

Page 4 of 11

**LEYBONOL LVO 220** 

Initial Date: 14/11/2018 Revision Date: 18/10/2021 Print Date: 06/11/2025

#### Conditions for safe storage, including any incompatibilities

Suitable container

- Metal can or drum
- ▶ Packaging as recommended by manufacturer.
- Check all containers are clearly labelled and free from leaks.

Storage incompatibility

Avoid strong acids, bases.

#### **SECTION 8 Exposure controls / personal protection**

#### Control parameters

#### Occupational Exposure Limits (OEL)

#### INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
US OSHA Permissible Exposure Limits (PELs) Table Z-1	O,O,O-triphenyl phosphorothionate	Particulates Not Otherwise Regulated (PNOR)- Total dust	15 mg/m3	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Limits (PELs) Table Z-1	O,O,O-triphenyl phosphorothionate	Particulates Not Otherwise Regulated (PNOR)- Respirable fraction	5 mg/m3	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Limits (PELs) Table Z-3	O,O,O-triphenyl phosphorothionate	Inert or Nuisance Dust: Respirable fraction	5 mg/m3 / 15 mppcf	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Limits (PELs) Table Z-3	O,O,O-triphenyl phosphorothionate	Inert or Nuisance Dust: Total Dust	15 mg/m3 / 50 mppcf	Not Available	Not Available	Not Available
US NIOSH Recommended Exposure Limits (RELs)	O,O,O-triphenyl phosphorothionate	Particulates not otherwise regulated	Not Available	Not Available	Not Available	See Appendix D

#### **Emergency Limits**

Ingredient	TEEL-1	TEEL-2	TEEL-3
LEYBONOL LVO 220	Not Available	Not Available	Not Available

Ingredient	Original IDLH	Revised IDLH
O,O,O-triphenyl phosphorothionate	Not Available	Not Available
phenyl-alpha-naphthylamine	Not Available	Not Available

#### **Exposure controls**

#### Appropriate engineering controls

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.

The basic types of engineering controls are:

Process controls which involve changing the way a job activity or process is done to reduce the risk.

Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.

#### Individual protection measures, such as personal protective equipment









## Eye and face protection

- Safety glasses with side shields
- ► Chemical goggles. [AS/NZS 1337.1, EN166 or national equivalent]
- Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience.

## Skin protection

See Hand protection below

#### The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be

#### Hands/feet protection

observed when making a final choice. Personal hygiene is a key element of effective hand care.

- ▶ Wear chemical protective gloves, e.g. PVC.
- Wear safety footwear or safety gumboots, e.g. Rubber

#### **Body protection**

See Other protection below

# Page 5 of 11 LEYBONOL LVO 220

Initial Date: 14/11/2018 Revision Date: 18/10/2021 Print Date: 06/11/2025

Other protection

- Overalls.
- ▶ P.V.C apron.
- ▶ Barrier cream.
- Skin cleansing cream.

#### Respiratory protection

Type A Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Where the concentration of gas/particulates in the breathing zone, approaches or exceeds the "Exposure Standard" (or ES), respiratory protection is required. Degree of protection varies with both face-piece and Class of filter; the nature of protection varies with Type of filter.

Required Minimum Protection Factor	Half-Face Respirator	Full-Face Respirator	Powered Air Respirator
up to 10 x ES	A-AUS	-	A-PAPR-AUS / Class 1
up to 50 x ES	-	A-AUS / Class 1	-
up to 100 x ES	-	A-2	A-PAPR-2 ^

#### ^ - Full-face

A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

- ▶ Cartridge respirators should never be used for emergency ingress or in areas of unknown vapour concentrations or oxygen content.
- The wearer must be warned to leave the contaminated area immediately on detecting any odours through the respirator. The odour may indicate that the mask is not functioning properly, that the vapour concentration is too high, or that the mask is not properly fitted. Because of these limitations, only restricted use of cartridge respirators is considered appropriate.
- Cartridge performance is affected by humidity. Cartridges should be changed after 2 hr of continuous use unless it is determined that the humidity is less than 75%, in which case, cartridges can be used for 4 hr. Used cartridges should be discarded daily, regardless of the length of time used

#### **SECTION 9 Physical and chemical properties**

#### Information on basic physical and chemical properties

Appearance	Yellow		
Physical state	Liquid	Relative density (Water = 1)	0.915
Odour	Characteristic	Partition coefficient n- octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	Not Applicable	Decomposition temperature (°C)	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	94.9 @ 40C
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	262	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Partly miscible	pH as a solution (1%)	Not Applicable
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available
Heat of Combustion (kJ/g)	Not Available	Ignition Distance (cm)	Not Available
Flame Height (cm)	Not Available	Flame Duration (s)	Not Available
Enclosed Space Ignition Time Equivalent (s/m3)	Not Available	Enclosed Space Ignition Deflagration Density (g/m3)	Not Available
Nanoform Solubility	Not Available	Nanoform Particle Characteristics	Not Available
Particle Size	Not Available		

#### **SECTION 10 Stability and reactivity**

Initial Date: **14/11/2018**Revision Date: **18/10/2021** 

See section 7

• Unstable in the presence of incompatible materials.

• Product is considered stable.

• Hazardous polymerisation will not occur.

See section 7

## SECTION 11 Toxicological information

products

Reactivity

reactions

See section 7

See section 7

See section 5

**Chemical stability** 

Conditions to avoid

Incompatible materials

Hazardous decomposition

Possibility of hazardous

## Information on toxicological effects

•	
a) Acute Toxicity	Based on available data, the classification criteria are not met.
b) Skin Irritation/Corrosion	Based on available data, the classification criteria are not met.
c) Serious Eye Damage/Irritation	Based on available data, the classification criteria are not met.
d) Respiratory or Skin sensitisation	Based on available data, the classification criteria are not met.
e) Mutagenicity	Based on available data, the classification criteria are not met.
f) Carcinogenicity	Based on available data, the classification criteria are not met.
g) Reproductivity	Based on available data, the classification criteria are not met.
h) STOT - Single Exposure	Based on available data, the classification criteria are not met.
i) STOT - Repeated Exposure	Based on available data, the classification criteria are not met.
j) Aspiration Hazard	Based on available data, the classification criteria are not met.
Inhaled	The material is not thought to produce either adverse health effects or irritation of the respiratory tract following inhalation (as classified by EC Directives using animal models). Nevertheless, adverse systemic effects have been produced following exposure of animals by at least one other route and good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.
Ingestion	Although ingestion is not thought to produce harmful effects (as classified under EC Directives), the material may still be damaging to the health of the individual, following ingestion, especially where pre-existing organ (e.g. liver, kidney) damage is evident.
Skin Contact	The liquid may be able to be mixed with fats or oils and may degrease the skin, producing a skin reaction described as non-allergic contact dermatitis. The material is unlikely to produce an irritant dermatitis as described in EC Directives.  Open cuts, abraded or irritated skin should not be exposed to this material
Eye	Although the liquid is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may produce transient discomfort characterised by tearing or conjunctival redness (as with windburn).
Chronic	Long-term exposure to the product is not thought to produce chronic effects adverse to the health (as classified by EC Directives using animal models); nevertheless exposure by all routes should be minimised as a matter of course.

1 EVD 0 101 1 1 10 000	TOXICITY	IRRITATION	
LEYBONOL LVO 220	Not Available	Not Available	
	TOXICITY	IRRITATION	
O,O,O-triphenyl phosphorothionate	dermal (rat) LD50: >2000 mg/kg <sup>[1]</sup>	Eye: no adverse effect observed (not irritating) <sup>[1]</sup>	
phosphorounionato	Oral (Rabbit) LD50; >3000 mg/kg <sup>[1]</sup>	Skin: no adverse effect observed (not irritating) $^{[1]}$	
	TOXICITY	IRRITATION	
	Dermal (rabbit) LD50: >5000 mg/kg <sup>[1]</sup>	Eye: no adverse effect observed (not irritating) <sup>[1]</sup>	
	Oral (Mouse) LD50; 1231 mg/kg <sup>[2]</sup>	Skin (Human - man): 1%	
phenyl-alpha-		Skin (Human): 0.5%	
naphthylamine		Skin (Rodent - rabbit): 5%/4H - Mild	
		Skin (Rodent - rabbit): 5%/6W (intermittent) - Mild	
		Skin (Rodent - rabbit): 50% - Mild	
		Skin: no adverse effect observed (not irritating) <sup>[1]</sup>	

## Legend:

1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2. Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances

Initial Date: 14/11/2018 Revision Date: 18/10/2021 Print Date: 06/11/2025

**LEYBONOL LVO 220** 

#### O,O,O-TRIPHENYL **PHOSPHOROTHIONATE**

PASS Predicts R63

No significant acute toxicological data identified in literature search.

Dithiophosphate alkyl esters is corrosive and toxic to the tissues on skin or oral exposure depending on its concentration. Symptoms included diarrhoea, skin and gastrointestinal irritation, lethargy, reduced food intake, staining about the nose and eye; occasionally, there was drooping of the eyelid, hair standing up, inco-ordination and salivation. Toxicity is reduced following inhalation (due to vapour pressure and high viscosity). It may produce reproductive, developmental and genetic toxicity on

experimental animals, but no substantive data is available to establish effect on humans.

\* [Baver]

The following information refers to contact allergens as a group and may not be specific to this product.

Contact allergies quickly manifest themselves as contact eczema, more rarely as urticaria or Quincke's oedema. The pathogenesis of contact eczema involves a cell-mediated (T lymphocytes) immune reaction of the delayed type. Other allergic skin reactions, e.g. contact urticaria, involve antibody-mediated immune reactions.

PHENYL-ALPHA-**NAPHTHYLAMINE**  Asthma-like symptoms may continue for months or even years after exposure to the material ends. This may be due to a nonallergic condition known as reactive airways dysfunction syndrome (RADS) which can occur after exposure to high levels of highly irritating compound. Main criteria for diagnosing RADS include the absence of previous airways disease in a non-atopic individual, with sudden onset of persistent asthma-like symptoms within minutes to hours of a documented exposure to the irritant. Other criteria for diagnosis of RADS include a reversible airflow pattern on lung function tests, moderate to severe bronchial hyperreactivity on methacholine challenge testing, and the lack of minimal lymphocytic inflammation, without

N-phenyl-1-naphthylamine is well absorbed and extensively excreted in the stools. Animal testing showed it to have low toxicity when swallowed and it did not cause irritation to the skin and eyes. However, it caused skin sensitisation. The substance seems to affect the liver and kidneys but the actual effects are not known.

Acute Toxicity	×	Carcinogenicity	×
Skin Irritation/Corrosion	×	Reproductivity	×
Serious Eye Damage/Irritation	×	STOT - Single Exposure	×
Respiratory or Skin sensitisation	×	STOT - Repeated Exposure	×
Mutagenicity	×	Aspiration Hazard	×

Leaend:

🗶 - Data either not available or does not fill the criteria for classification

Data available to make classification

#### **SECTION 12 Ecological information**

#### Toxicity

	Endpoint	Test Duration (hr)	Species	Value	Source
LEYBONOL LVO 220	Not Available	Not Available	Not Available	Not Available	Not Available
	Endpoint	Test Duration (hr)	Species	Value	Source
O,O,O-triphenyl	EC50	48h	Crustacea	>100mg/l	2
phosphorothionate	NOEC(ECx)	2088h	Fish	0.004mg/L	2
	LC50	96h	Fish	83mg/l	2
	Endpoint	Test Duration (hr)	Species	Value	Source
	BCF	1344h	Fish	427-2730	7
	EC50	72h	Algae or other aquatic plants	0.034mg/l	2
phenyl-alpha-	EC50	48h	Crustacea	0.3mg/l	2
naphthylamine	EC50	96h	Algae or other aquatic plants	0.34mg/l	2
	NOEC(ECx)	72h	Algae or other aquatic plants	0.004mg/l	2
	LC50	96h	Fish	0.44mg/l	2

Legend:

Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) -Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data

#### DO NOT discharge into sewer or waterways.

#### Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
O,O,O-triphenyl phosphorothionate	HIGH	HIGH
phenyl-alpha-naphthylamine	HIGH	HIGH

Page 8 of 11

**LEYBONOL LVO 220** 

Initial Date: 14/11/2018 Revision Date: 18/10/2021 Print Date: 06/11/2025

#### **Bioaccumulative potential**

Ingredient	Bioaccumulation
O,O,O-triphenyl phosphorothionate	HIGH (LogKOW = 6.4658)
phenyl-alpha-naphthylamine	HIGH (BCF = 2730)

#### Mobility in soil

Ingredient	Mobility
O,O,O-triphenyl phosphorothionate	LOW (Log KOC = 215700)
phenyl-alpha-naphthylamine	LOW (Log KOC = 21390)

#### Other adverse effects

No evidence of ozone depleting properties were found in the current literature.

#### **SECTION 13 Disposal considerations**

#### Waste treatment methods

Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked.

A Hierarchy of Controls seems to be common - the user should investigate:

- Reduction
- Reuse
- Recycling
- Disposal (if all else fails)

## Product / Packaging disposal

This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use.

- ▶ DO NOT allow wash water from cleaning or process equipment to enter drains.
- It may be necessary to collect all wash water for treatment before disposal.
- ▶ In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first.
- Where in doubt contact the responsible authority.
- Recycle wherever possible or consult manufacturer for recycling options.
- Consult State Land Waste Authority for disposal.
- ▶ Bury or incinerate residue at an approved site.
- ▶ Recycle containers if possible, or dispose of in an authorised landfill.

#### **SECTION 14 Transport information**

## **Labels Required**

Marine Pollutant	NO

Land transport (DOT): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.7. Maritime transport in bulk according to IMO instruments

## 14.7.1. Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

#### 14.7.2. Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group	
O,O,O-triphenyl phosphorothionate	Not Applicable	
phenyl-alpha-naphthylamine	Not Applicable	

#### 14.7.3. Transport in bulk in accordance with the IGC Code

Product name	Ship Type
O,O,O-triphenyl phosphorothionate	Not Applicable

Initial Date: 14/11/2018 Revision Date: 18/10/2021 Print Date: 06/11/2025

Product name	Ship Type
phenyl-alpha-naphthylamine	Not Applicable

#### **SECTION 15 Regulatory information**

#### Safety, health and environmental regulations / legislation specific for the substance or mixture

#### O,O,O-triphenyl phosphorothionate is found on the following regulatory lists

International WHO List of Proposed Occupational Exposure Limit (OEL) Values for Manufactured Nanomaterials (MNMS)

US - Alaska Air Quality Control - Concentrations Triggering an Air Quality Episode for Air Pollutants Other Than PM-2.5

US NIOSH Recommended Exposure Limits (RELs)

US OSHA Permissible Exposure Limits (PELs) Table Z-1

US OSHA Permissible Exposure Limits (PELs) Table Z-3

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

#### phenyl-alpha-naphthylamine is found on the following regulatory lists

US - California Hazardous Air Pollutants Identified as Toxic Air Contaminants

US Clean Air Act - Hazardous Air Pollutants

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

#### Additional Regulatory Information

Not Applicable

#### **Federal Regulations**

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### Section 311/312 hazard categories Flammable (Gases, No Aerosols, Liquids, or Solids) Gas under pressure No Explosive No Self-heating No Pyrophoric (Liquid or Solid) No Pyrophoric Gas No Corrosive to metal No Oxidizer (Liquid, Solid or No Gas) Organic Peroxide No Self-reactive Nο In contact with water emits No flammable gas Combustible Dust No Carcinogenicity No Acute toxicity (any route of No Reproductive toxicity No Skin Corrosion or Irritation No Respiratory or Skin No Sensitization Serious eye damage or eye No irritation Specific target organ toxicity (single or repeated No exposure) No Aspiration Hazard Germ cell mutagenicity No Simple Asphyxiant No Hazards Not Otherwise No Classified

## Page 10 of 11 **LEYBONOL LVO 220**

Initial Date: 14/11/2018 Revision Date: 18/10/2021 Print Date: 06/11/2025

None Reported

US. EPCRA Section 313 Toxic Release Inventory (TRI) (40 CFR 372)

#### **Additional Federal Regulatory Information**

Not Applicable

#### **State Regulations**

#### US. California Proposition 65



MARNING: . For more information, go to <a href="www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>

Not Applicable

#### **National Inventory Status**

National Inventory	Status				
Australia - AIIC / Australia Non-Industrial Use	Yes				
Canada - DSL	Yes				
Canada - NDSL	No (O,O,O-triphenyl phosphorothionate; phenyl-alpha-naphthylamine)				
China - IECSC	Yes				
Europe - EINEC / ELINCS / NLP	Yes				
Japan - ENCS	Yes				
Korea - KECI	Yes				
New Zealand - NZIoC	Yes				
Philippines - PICCS	Yes				
USA - TSCA	All chemical substances in this product have been designated as TSCA Inventory 'Active'				
Taiwan - TCSI	Yes				
Mexico - INSQ	No (O,O,O-triphenyl phosphorothionate)				
Vietnam - NCI	Yes				
Russia - FBEPH	Yes				
UAE - Control List (Banned/Restricted Substances)	No (O,O,O-triphenyl phosphorothionate; phenyl-alpha-naphthylamine)				
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.				

## **SECTION 16 Other information**

Revision Date	18/10/2021
Initial Date	14/11/2018

### **SDS Version Summary**

Version	Date of Update	Sections Updated
5.1	12/10/2021	Hazards identification - Classification, Ecological Information - Environmental, Composition / information on ingredients - Ingredients
6.1	18/10/2021	Physical and chemical properties - Appearance

## Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

## **Definitions and abbreviations**

- ▶ PC TWA: Permissible Concentration-Time Weighted Average
- ▶ PC STEL: Permissible Concentration-Short Term Exposure Limit

Chemwatch: 5331-52 Page 11 of 11
Version No: 6.1

#### **LEYBONOL LVO 220**

Initial Date: 14/11/2018 Revision Date: 18/10/2021 Print Date: 06/11/2025

- ▶ IARC: International Agency for Research on Cancer
- ▶ ACGIH: American Conference of Governmental Industrial Hygienists
- ▶ STEL: Short Term Exposure Limit
- ► TEEL: Temporary Emergency Exposure Limit。
- ▶ IDLH: Immediately Dangerous to Life or Health Concentrations
- ▶ ES: Exposure Standard
- OSF: Odour Safety Factor
- ▶ NOAEL: No Observed Adverse Effect Level
- ▶ LOAEL: Lowest Observed Adverse Effect Level
- ▶ TLV: Threshold Limit Value
- ▶ LOD: Limit Of Detection
- OTV: Odour Threshold Value
- ▶ BCF: BioConcentration Factors
- ▶ BEI: Biological Exposure Index
- ▶ DNEL: Derived No-Effect Level
- ▶ PNEC: Predicted no-effect concentration
- ▶ MARPOL: International Convention for the Prevention of Pollution from Ships
- ▶ IMSBC: International Maritime Solid Bulk Cargoes Code
- ▶ IGC: International Gas Carrier Code
- ▶ IBC: International Bulk Chemical Code
- ▶ AIIC: Australian Inventory of Industrial Chemicals
- ▶ DSL: Domestic Substances List
- ▶ NDSL: Non-Domestic Substances List
- ▶ IECSC: Inventory of Existing Chemical Substance in China
- ▶ EINECS: European INventory of Existing Commercial chemical Substances
- ▶ ELINCS: European List of Notified Chemical Substances
- ▶ NLP: No-Longer Polymers
- ▶ ENCS: Existing and New Chemical Substances Inventory
- ▶ KECI: Korea Existing Chemicals Inventory
- ▶ NZIoC: New Zealand Inventory of Chemicals
- ▶ PICCS: Philippine Inventory of Chemicals and Chemical Substances
- ► TSCA: Toxic Substances Control Act
- ▶ TCSI: Taiwan Chemical Substance Inventory
- ▶ INSQ: Inventario Nacional de Sustancias Químicas
- NCI: National Chemical Inventory
- ▶ FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

#### This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.