




Connection kit for mounting pumps, DN 40 ISO-KF



PFEIFFER 


Connection kit pump

PFEIFFER ➤



Connection kit for mounting pumps, DN 40 ISO-KF

Dimensions



Technical Data	Connection kit for mounting pumps, DN 40 ISO-KF
Temperature range min.	-15 °C
Temperature range max.	150 °C
Materials in contact with media	Bellows: 316L Flange: Stainless steel 1.4301/304
Temperature range	15 – 150 °C
Scope of delivery	120SWN040-1000, 122ZRG040, 110BSR040
Connection flange	DN 40 ISO-KF
Pressure range	1 · 10 ⁻⁸ hPa – 5 · 10 ² hPa over pressure
Temperature range max.	150 °C 302 °F 423.15 K
Temperature range min.	15 °C 5 °F 258.15 K

Order number	Connection kit for mounting pumps, DN 40 ISO-KF
Connection kit for mounting pumps, DN 40 ISO-KF	120SWS040-1000

Are you looking for an optimum vacuum solution?
Talk to us:
Pfeiffer Vacuum Components & Solutions GmbH Germany
T +49 551 99963-0
info-cs@pfeiffer-vacuum.com

Or scan the barcode, to visit our web page:



<https://webportal.pfeiffer-vacuum.com/global/en/contact>



Errors and/or changes excepted. - 2/20/2025

Follow Us On Social Media
#pfeiffervacuum



www.pfeiffer-vacuum.com

PFEIFFER 