




**Copper gasket, OFHC
copper, DN 63 CF**



Copper gasket




Illustration only

Copper gasket, OFHC copper, DN 63 CF

- For single use only

Dimensions



A	82.4 mm
B	63.4 mm
C	2 mm

Technical Data

Technical Data	Copper gasket, OFHC copper, DN 63 CF
Temperature range min.	-196 °C
Temperature range max.	200 °C
Materials in contact with media	OFHC Copper (Oxygen Free)
Quantity per package	10 Pieces
Package	10 Pieces
Temperature range	196 – 200 °C
Connection flange	DN 63 CF
Pressure range	$1 \cdot 10^{-13}$ hPa – to ambient pressure
Weight	0.4 kg
Temperature range max.	200 °C 392 °F 473.15 K
Temperature range min.	196 °C 320.8 °F 77.15 K

Order number	Copper gasket, OFHC copper, DN 63 CF
Copper gasket, OFHC copper, DN 63 CF	490DFL063-S10

Are you looking for an optimum vacuum solution?
Talk to us:
Pfeiffer Vacuum Components & Solutions GmbH Germany
T +49 551 99963-0
info-cs@pfeiffer-vacuum.com

Or scan the barcode, to visit our web page:



<https://webportal.pfeiffer-vacuum.com/global/en/contact>



Errors and/or changes excepted. - 2/21/2025

Follow Us On Social Media
#pfeiffervacuum



www.pfeiffer-vacuum.com

PFEIFFER 