



**Gas ballast valve -
conversion kit in
corrosive gas version,
including 24 V DC
solenoid valve**



PFEIFFER 

Gas ballast valve conversion kit



Illustration only

Gas ballast valve - conversion kit in corrosive gas version, including 24 V DC solenoid valve

- Gas ballast valve in corrosive version, including 24 VDC magnetic valve
- For replacing a standard gas ballast valve
- Customer benefits: Easy system integration, connection of inert gas and remote control of gas ballast possible

Technical Data	Gas ballast valve - conversion kit in corrosive gas version, including 24 V DC solenoid valve
Contact	Normally closed
Over pressure max.	500 hPa
Thread	G 1/4"
Input voltage(s)	24 V DC ($\pm 10\%$)
Pressure max.	$1.5 \cdot 10^3$ hPa $1.125 \cdot 10^3$ Torr $1.5 \cdot 10^3$ mbar
Overpressure max.	500 hPa 375 Torr 500 mbar
Pressure max.	$1.5 \cdot 10^3$ hPa
Electrical connection	Cable screw connection PG9

Order number	Gas ballast valve - conversion kit in corrosive gas version, including 24 V DC solenoid valve
Gas ballast valve - conversion kit in corrosive gas version, including 24 V DC solenoid valve	PK 223 717 -U



Errors and/or changes excepted. - 10/1/2025

Are you looking for an optimum vacuum solution?

**Talk to us:
Pfeiffer Vacuum GmbH
Germany
T +49 6441 802-0**

Or scan the barcode, to visit our web page:



<https://webportal.pfeiffer-vacuum.com/global/en/contact>

**Follow Us On Social Media
#pfeiffervacuum**



www.pfeiffer-vacuum.com

