




OME 63 C, oil mist separator, corrosive gas version, Duo 125 | 125 M



PFEIFFER 

OME 63 C




Illustration only

OME 63 C, oil mist separator, corrosive gas version, Duo 125 | 125 M

- For the exhaust flange
- Corrosive gas version
- Prevents emission of oil mist
- Customer benefits: Clean, oil mist free exhaust air

Dimensions



Technical Data	OME 63 C, oil mist separator, corrosive gas version, Duo 125 125 M
For pumping speed up to	135 m ³ /h 79.461 cfm 2,250.045 l/min
Pressure max. (absolute)	1,500 hPa 1,125 Torr 1,500 mbar
Weight	13.5 kg 29.76 lb
Capacity	1.7 l
Degree of separation	99.98 %
Exhaust pressure, max.	Atmospheric pressure
Connection flange	DN 63 ISO-F / DN 63 ISO-K
Connection flange (in)	DN 63 ISO-F
Connection flange (out)	DN 63 ISO-K

Order number	OME 63 C, oil mist separator, corrosive gas version, Duo 125 125 M
OME 63 C, oil mist separator, corrosive gas version, Duo 125 125 M	PK Z40 410



Errors and/or changes excepted. - 2/20/2025

Are you looking for an optimum vacuum solution?

Talk to us:

Pfeiffer Vacuum GmbH

Germany

T +49 6441 802-0

Or scan the barcode, to visit our web page:



<https://webportal.pfeiffer-vacuum.com/global/en/contact>

Follow Us On Social Media

#pfeiffervacuum



www.pfeiffer-vacuum.com

PFEIFFER 