

Operations monitoring unit 2 for Duo 1.6/3/6/11 and Duo 5/10/20 M



PFEIFFER 

Operations monitoring unit 2





Illustration only

Operations monitoring unit 2 for Duo 1.6/3/6/11 and Duo 5/10/20 M

- Monitors operating fluid level and temperature
- Mounted at the sight glass
- Customer benefits: Increased operational reliability through detection of impending dry running and excessive oil temperature

Dimensions



Technical Data

Operations monitoring unit 2 for Duo
1.6/3/6/11 and Duo 5/10/20 M

Monitored characteristics

Operating fluid level | Operating fluid
temperature

Order number

Operations monitoring unit 2 for Duo
1.6/3/6/11 and Duo 5/10/20 M

Operations monitoring unit 2 for Duo
1.6/3/6/11 and Duo 5/10/20 M

PK 196 147 -T



Errors and/or changes excepted. - 5/15/2025

Are you looking for an optimum vacuum solution?

Talk to us:

Pfeiffer Vacuum GmbH

Germany

T +49 6441 802-0

Or scan the barcode, to visit our web page:



<https://webportal.pfeiffer-vacuum.com/global/en/contact>

Follow Us On Social Media

#pfeiffervacuum



www.pfeiffer-vacuum.com

PFEIFFER 