

Vibration damper for HiPace 60/80, DN 40 ISO-KF

PFEIFFER 

Vibration damper




Illustration only

Vibration damper for HiPace 60/80, DN 40 ISO-KF

- Connection for DN 40 ISO-KF with clamping ring
- Suitable for HiPace 60/80
- For the employment of turbopumps on systems and plants that are sensitive to vibration
- The flow resistance should be taken into account at the design of the pumping system
- Only vertical operation allowed
- Note: Fastening of the pump see operating instructions
- An additional pump mounting is required

Dimensions



A 85 mm

Technical Data

Connection flange

Vibration damper for HiPace 60/80,
DN 40 ISO-KF

DN 40 ISO-KF

Order number

Vibration damper for HiPace 60/80,
DN 40 ISO-KF

Vibration damper for HiPace 60/80,
DN 40 ISO-KF

PM 006 799 -X



Errors and/or changes excepted. - 2/21/2025

Are you looking for an optimum vacuum solution?

Talk to us:

Pfeiffer Vacuum GmbH

Germany

T +49 6441 802-0

Or scan the barcode, to visit our web page:



<https://webportal.pfeiffer-vacuum.com/global/en/contact>

Follow Us On Social Media

#pfeiffervacuum



www.pfeiffer-vacuum.com

PFEIFFER 