





# Vibration damper for HiPace 60/80, DN 40 ISO-KF

---

**PFEIFFER** 

# Vibration damper

---




Illustration only

## **Vibration damper for HiPace 60/80, DN 40 ISO-KF**

- Connection for DN 40 ISO-KF with clamping ring
- Suitable for HiPace 60/80
- For the employment of turbopumps on systems and plants that are sensitive to vibration
- The flow resistance should be taken into account at the design of the pumping system
- Only vertical operation allowed
- Note: Fastening of the pump see operating instructions
- An additional pump mounting is required

# Vibration damper

## Dimensions



A 85 mm

## Technical Data

Connection flange

Vibration damper for HiPace 60/80, DN 40 ISO-KF

DN 40 ISO-KF

## Order number

Vibration damper for HiPace 60/80, DN 40 ISO-KF

Vibration damper for HiPace 60/80, DN 40 ISO-KF

PM 006 799 -X



Errors and/or changes excepted. - 9/30/2025

**Are you looking for an optimum vacuum solution?**

**Talk to us:  
Pfeiffer Vacuum GmbH  
Germany  
T +49 6441 802-0**

**Or scan the barcode, to visit our web page:**



<https://webportal.pfeiffer-vacuum.com/global/en/contact>

**Follow Us On Social Media  
#pfeiffervacuum**



[www.pfeiffer-vacuum.com](http://www.pfeiffer-vacuum.com)

**PFEIFFER** 