



Splinter shield for Pfeiffer Vacuum turbopumps



Similar Image

Splinter shield for Pfeiffer Vacuum turbopumps

- For DN 63 CF-F
- Splinter shield: to safeguard against foreign objects, mesh width 0.8 mm, molecular conductance for N₂ 194 l/s

Technical Data	Splinter shield for Pfeiffer Vacuum turbopumps
Flange	DN 63 CF-F
Molecular conductance for N ₂	194 l/s
Package	1 Pcs.

Order number	
Splinter shield	PM 016 312

VACUUM SOLUTIONS FROM A SINGLE SOURCE

Pfeiffer Vacuum stands for innovative and custom vacuum solutions worldwide, technological perfection, competent advice and reliable service.

COMPLETE RANGE OF PRODUCTS

From a single component to complex systems:

We are the only supplier of vacuum technology that provides a complete product portfolio.

COMPETENCE IN THEORY AND PRACTICE

Benefit from our know-how and our portfolio of training opportunities!

We support you with your plant layout and provide first-class on-site service worldwide.

Are you looking for a
perfect vacuum solution?
Please contact us:

Pfeiffer Vacuum GmbH
Headquarters · Germany
T +49 6441 802-0
info@pfeiffer-vacuum.de

www.pfeiffer-vacuum.com

All data subject to change without prior notice.

PFEIFFER  **VACUUM**